MADE USING 100% RECYCLED METALWORK




Encore



The Eco Encore uses 100% recycled metalwork and uses minimal energy thanks to it's energy management system.

MORE CANISTERS...MORE CHOICES

With two extra canisters, you can offer an extensive drink range with endless possibilities!



KEY FEATURES

- Delicious coffee shop quality hot drinks
- Freshly brewed tea and 6 soluble canisters
- · Adjust strength, sugar and milk to suit taste
- Energy management
- Timed free/discount periods
- Cup sensor
- Compatible with most payment systems



ENHANCE YOUR GREEN CREDENTIALS

Enhance your green credentials and offer a huge range of delicious hot drinks with a massive 6 soluble canisters plus fresh leaf tea! Hot Chocolate

Whipped smooth, siky chocolal-


U.S

Too

LOW ENERGY CONSUMPTION

Reduce energy costs and promote corporate social responsibility with green features.

Energy management system
Cup sensor for own mug
100% recycled
metalwork



Eco Encore

Technical Specification



DIMENSIONS			
Height (mm)		1830	
Width (mm)		710	
Depth (mm)		695	
Minimum sitting distance from back wall to rear of cabinet (mm)		100	
Weight (kg approx)		165	
PRODUCT CAPACITY (9oz DRINK)			
Leaf Tea (Gram Throw 2.5g)		3500g/1400 drinks	
Chocolate (Gram Throw 20g)		3450g/120 drinks	
Sugar		3900g	
Granulated Milk		1350g/337 drinks	
Instant Coffee (Gram Throw 1.8g)		1010g/560 drinks	
Soup (Gram Throw 14.6g)		1200g/82 drinks	
CUP CAPACITY (9oz / 12oz)			
Cups		479 / 510	
ITEM	DESCRIPTION	AS STANDARD	
Audit capability	Via LCD Display	Standard	
Automatic cup dispenser	9oz cups	Standard	
Cup sensor	Cup sensor & stand (for use of own cup or jug)	Standard	
Display	4-line LCD instruction display	Standard	
Water filter	Specify 3M or Brita kit & filter	Optional	
Payment system	Most coin, note or cashless system	Optional	
	Lockable cash box	Optional	

ELECTRICAL SERVICES & RATINGS - POWER			
Voltage (Volts AC + / - 10%)	230 - 240		
Current (amps)	13		
Frequency (Hz)	50		
ENERGY CONSUMPTION			
Idle Phase (watt hrs / hr)	173		
Vending Phase	550		
Per Litre (watt hrs / hr)	98		
EVA / EMP Rating	A++		
WATER REQUIREMENTS			
Pressure	138 kpa (1.37 Bar) min - 828 kpa (8.27 Bar) max		
Supply	15 mm BSP from rising main with a stop tap		

E&OE Westomatic Vending Services Limited reserve the right to alter specifications and availability without notice.

