


WMF 5000 S+

EXCELLENT COFFEE INDULGENCE, EFFORTLESS IN ANY ENVIRONMENT.



Contents

WMF 5000 S+

Features & Innovations

Technical Data Overview

22 **Customer Service**

24 Accessory Equipment

26 WMF PhotoSimu App

Contact Details

4

20

28

WMF 5000 S+

EXCELLENT COFFEE INDULGENCE, EFFORTLESS IN ANY ENVIRONMENT.

"In my business, it's all about delivering consistent high quality and choice, quickly. My customers want great coffee, their way, and they want it fast. The WMF 5000 S+ ticks all the boxes. So even at peak times, I can rely on it to perform perfectly."

> If you're running a busy restaurant, café the needs of medium to large businessor bakery, you want to serve a wide es with ease. All this is made possible range of premium coffee specialities, by the machine's robust design, highand you want to serve them rapidly. / grade components and cutting-edge The WMF 5000 S+ has the power and features. From the elegant metal housthe agility to satisfy all your custom- ing and durable heavy-duty brewer to ers, at the pace they demand. Its two the high-voltage power supply and opgrinders, two possible milk variants and timized boiler, every component is engioptional Syrup Station offer countless neered to guarantee high performance sophisticated beverage choices. With and maximum reliability over the long the option of WMF's unprecedented term. The intuitive 10" colour touch dis-Fresh Filtered Coffee technology, it can play catches the eye and makes ordering even satisfy filter coffee enthusiasts easy in both served and self-service sitto the best. And it can dispense coffee uations. Meanwhile the Dynamic Coffee and hot water in parallel, thanks to the Assist and Dynamic Milk Assist technoloptional 9 kW heating capacity. Rec- ogies constantly monitor and adjust the ommended for venues with an average relevant factors to ensure consistently daily requirement of 250 cups, it meets high quality of both coffee and milk.



WMF 5000 S+



Espresso Macchiato

ଚ୍ଚ

Et Innovations

FOR WMF CUSTOMERS,

Representing a remarkable feat of engineering and design, the elegant profile of the WMF 5000 S+ accommodates a surprising array of high-performance features, customisable options and customer-focused innovations.

options. In short, it combines excel- for years to come.

The WMF 5000 S+ blends elegant lent coffee indulgence with effortless looks with user-friendly operation, operation in any environment. Most high-quality components with fu- importantly, it's built for total reliature-proof digital connectivity, and bility over the long term. So both you impressive performance with exten- and your customers can keep on ensive configuration and customisation joying the fruits of WMF innovation

STATES AND A STATE



Performance DELIVERING A PREMIUM COFFEE EXPERIENCE



HEAVY-DUTY BREWER

The heavy-duty, stainless steel brewer is made in Germany with hardwearing components to guarantee you high performance and maximum reliability over many years of service. Its design features a robust, die-forged frame and a fine sieve for preparing finer recipes, while its 19 g capacity permits larger brewing batches in a single step. As it is permanently installed in the machine, the brewer requires no additional cleaning.



PARALLEL COFFEE AND HOT WATER PREPARATION

To let you keep pace with high demand even at peak times, 400 V models of the WMF 5000 S+ can simultaneously dispense coffee drinks and hot water. This is made possible by the optimized boiler, which delivers an increased heating power of 9 kW.



HIGH OUTPUT

/ | | \ WMF 5000 S+

Recommended for venues with an average daily requirement of 250 cups, the WMF 5000 S+ makes premium coffee specialities fast. So you can be confident that everyone will be served promptly, even in high-volume situations.







UP TO 2 COFFEE GRINDERS

To offer your customers a wide choice of premium coffee specialities, up to two different grinders can be used to create a range of recipes. Robust, quick and quiet, these long-lasting, high-performance grinders are electronically controlled and finely adjusted.

ECO MODE

You can take advantage of the Eco Mode settings to reduce energy consumption during periods of light use.

Versatility OUR INNOVATIONS, YOUR WAY

WMF 5000 S+



LARGE BEAN HOPPERS

For maximum variety, the WMF 5000 S+ comes with up to three hoppers, allowing you to offer two different kinds of coffee beans. There's also a hopper for topping or chocolate powder that can hold up to 2 kg of powder, and a further type of ground coffee such as decaffeinated coffee can be added to the manual insert. The bean hoppers on the left and right can hold up to 1,100 g of beans, and the central one has a 700 g capacity. To optimize their visual impact, the hoppers share a coordinated design and each comes with a lockable, stainless steel lid. What's more, they are removable and dishwasher-safe for easy cleaning.

MILK SYSTEM

Enabling you to tap into the market for cold milk mixed beverages as well as hot coffee specialities, the Easy Milk system automatically dispenses cold milk as well as hot milk or hot milk foam via the beverage spout. The Dynamic Milk system offers an even wider range of possibilities, allowing the fully automatic preparation of four different consistencies of hot milk foam and three variations of cold milk foam, as well as hot and cold milk.

2-MILK SOLUTION

milk type is used to prepare the beverage.

CHOC MIXER

Thanks to the optional 2-milk solution, you can offer two Designed to offer delicious chocolate specialities with mindifferent types of milk, for example giving your customers imum effort, the Choc Mixer promises easy handling and the choice of low-fat, soya or low-in-lactose milk. The au- maintenance, thanks to a magnetic lock that guarantees cortomatic switch valve function ensures the two milk types do rect insertion of the mixer bowl. Moreover, it is monitored by not come into contact with each other, and only the selected an integrated sensor that recognizes whether it is correctly positioned to avoid leakages.







FRESH FILTERED COFFEE

With WMF's innovative Fresh Filtered Coffee option, you can serve both filtered coffee and a wide range of coffee specialities from a single machine, offering maximum variety with a minimal footprint. Each cup of delicious filtered coffee is freshly brewed to a constant temperature, volume and flavour, for consistent high quality over time. And with every cup brewed to order, there's no waste!





CHILLED COFFEE

This innovative option lets you serve beverages made with chilled coffee. By passing freshly brewed hot coffee through a heat exchanger to cool it down, it provides a rapid solution for preparing delicious iced coffee and other drinks, keeping the ice or ice cream deliciously frozen longer.

SYRUP STATION

Providing even greater variety, the optional WMF Syrup Station adds an exceptional taste experience to any menu. It lets you create exciting additional flavours using up to four different kinds of syrup in three different dosing quantities. The specialities you create can easily be stored as standard drinks on the display, and identified by a choice of over 20 different icons.

engineered for consistent perfection

WMF 5000 S+



STEAM SYSTEMS

WMF steam systems allow any user achieve perfect hot milk and foam results. Easy Steam uses a semi-automatic steam lance that switches off on reaching the prescribed temperature to make traditional milk frothing much easier. Auto Steam, with its separate steam lance, lets you adapt milk foam density for each individual coffee creation, and produces three different types of milk foam completely automatically.

DYNAMIC MILK ASSIST

Innovative Dynamic Milk Assist technology ensures the constant high quality of all milk drinks. Using state-of-theart sensors, it continuously monitors the temperature in the cooler and the milk flow in the machine. Based on these values, it regulates factors like the pump speed to create perfect milk foam of the pre-selected consistency. In addition, Dynamic Milk Assist can also detect when the milk level is empty, even in bag-in-box systems.




HIGH-GRADE METAL COMPONENTS

The stainless steel housing of the WMF 5000 S+ not only makes an excellent visual impression; it is also built to last. Like the heavy-duty brewer and high-performance coffee grinder burrs, they are made to the highest standards at WMF's factory in Geislingen, Germany, to ensure a long service life for your coffee machine.

STEAM JET

Featuring WMF technology, SteamJet warms every cup in a matter of seconds. So every drink is not only served at the ideal temperature but also remains hot for longer, for true coffee indulgence.





AUTOMATIC HEIGHT-ADJUSTABLE SPOUT

The spout on the WMF 5000 S+ automatically adjusts to the optimal height for each beverage selected, depending on the preset value for each recipe. So beverage temperature remains perfect, and unsightly splashes of milk on the housing are a thing of the past.

DYNAMIC COFFEE ASSIST

Dynamic Coffee Assist permanently guarantees the highest quality of all espresso-based coffee specialities offered by the WMF 5000 S+. Once beverage quality has been set, this unprecedented system continuously monitors the brewing flow, making automatic adjustments to the grinding degree or to the coffee quantity as necessary. This way, brewing time, extraction and value remain constant, so you know your customers will enjoy consistently excellent coffee.

Usability

ALL THE FUNCTIONS YOU NEED AT YOUR FINGERTIPS




10" COLOUR TOUCH DISPLAY

The WMF 5000 S+ immediately invites interaction with its attractive 10" colour touch display, featuring realistic product depictions and individual colour worlds. Navigation is intuitive, using familiar touch and swipe menus, with both served and self-service modes available. Perfect for presenting nutritional information, the display can also be used to show videos, for example to promote special offers at certain times of day.

BEVERAGE ORDER SETTING

To save time and effort, the display includes an option to pre-select multiple beverages in a single order. These beverages are then automatically produced one after the other.



CLEANING SYSTEMS

The Clean in Place system is the ultimate in user-friendly box containing a cleaning tablet. The Easy Clean system is efficiency. The machine automatically cleans and rinses it- similar, except that on models with this system the foamer self with hot water and steam after dispensing water into a head has to be cleaned manually once a week.

NUTRITION FACTS

prepared, which can be very useful for whenever you want. compliance with tightening regulatory requirements. Information about various bean and powder types is already stored in the machine, and data on other recipes can easily be imported.

TIMER FUNCTIONS

The display of the WMF 5000 S+ is The WMF 5000 S+ can be set to turn The language used on the display of the also perfect for showing nutritional itself on and off, or activate and deac- WMF 5000 S+ can be selected to make information about the beverage being tivate certain functions and beverages, it easy for anyone to operate. Customers and staff can even select their own language during operation.

FEATURES & INNOVATIONS

LANGUAGE SELECTION

TAILOR YOUR COFFEE MACHINE TO YOUR BUSINESS

WMF 5000 S+



The coloured side panels of the

ILLUMINATED LED SIDE PANELS

WMF 5000 S+ are illuminated with LED lighting, which can be adjusted to suit your ambience. Moreover, the panels flash when action is required, for example when it is time for a refill. This simple feature quickly attracts the operator's attention, even from a distance.

BRANDING

The WMF 5000 S+ is ready to adapt to your specific requirements in every way. That includes the option of featuring your own logo on the display screen menus, as well as customising colours and backgrounds, or uploading your own beverage symbols.

PRE-SELECT / POST-SELECT MODE

Pre-Select mode is ideal for staff, letting them select the size of the cup, the coffee strength or milk type, then the beverage. The alternative, Post-Select mode, is perfectly suited to self-service sales: the customer first selects a beverage and can then specify additional parameters.



ADVERTISING

The colourful 10" touch display also offers you opportunities to increase sales through eye-catching advertising or tailored special offers. So while your customers' beverages are being prepared, you can take advantage of their time and attention.



BEVERAGE PARAMETER SETTING

For ease of operation, the helpful "Small-Medium-Large" function lets you preset various desired filling volumes and match them to each beverage. You also have the option to rearrange button layouts, adding and removing buttons. For example, in a self-service environment you might choose a single-row layout.

INDIVIDUAL BEVERAGE SIZE

To make life even simpler for users, they can customize the filling quantity individually via an easy-to-use touch slider before their beverage is dispensed. / WMF PROFESSIONAL COFFEE MACHINES

Connectivity COFFEE EXCELLENCE/MEETS DIGITAL SOLUTIONS



WMF COFFEE CONNECT

it to increase turnover by sending advertising and special insights into your coffee business.

WMF CoffeeConnect is our pioneering digital cloud platform. offers directly from your desk to the machine's display. It transforms the potential of your WMF coffee machine and WMF CoffeeConnect offers functions to suit every requireany other connected machines, giving them the ability to ment in the areas of machine management, maintenance provide valuable data and receive instructions remotely. By and operation, and business performance. These functions collecting, analysing and processing information on sales, op- are available in the form of either dashboard monitoring eration, consumption and maintenance, WMF CoffeeConnect or reports. Additionally, our experts can create tailor-made gives you the power to optimize processes and reduce ser- analysis according to your needs, allowing you to take advanvice costs. And that's only the beginning. You can also use tage of sophisticated Business Intelligence to gain in-depth

DATA SECURITY

We know that your data is crucial to your business success. That is why the platform we have developed for WMF CoffeeConnect meets state-ofthe-art infrastructure standards. The service offering is protected against cybercrime by a multi-layered IT architecture. We have also implemented a cutting-edge Identity and Access Management system that supports IoT requirements, providing multi-factor and role-based access to data and systems.



FEATURES & INNOVATIONS



HACCP COMPLIANCE

All WMF professional coffee machines support HACCP-compliant operation with ease. For example, cleaning records are available to download, complete data backups can be performed, and software updates are available via USB stick.

WMF 5000 S+

Technical Data Overview

ALL THE FACTS AND FIGURES YOU NEED







└──── 325 mm ────

----- 59

WMF 5000 S+	EASY	EASY MILK								
Recommended for an average daily requirement of*	_									
Nominal power rating / mains power connection	3.01 - 3.51 kW 220 - 240 V	8.41 - 9.9 380 - 41								
Output per hour according to DIN 18873-2 Espresso / 2 espressi Café crème / 2 café crèmes Cappuccino / 2 cappuccinos										
Cold milk beverages	√									
Cold milk foam beverages		-								
Total hot water output / hour	160 cups	280 cu								
Energy loss per day according to DIN 18873-2	1.55	1.55 kWh								
Coffee bean hoppers	Right a	Right and left appr								
Choc or topping hopper (optional)	Α									
External dimensions (width / height** / depth)	325									
Water supply		Fix								
Empty weight (depending on the model)										
Continuous sound pressure level (LpA)***										

BASIC MODELS	BASIC MODEL 1	BASIC MODEL 2
Easy Milk	√	-
Dynamic Milk	-	√
Easy Clean	√	-
Clean in Place	-	√
Power supply: 3.01-3.51 kW / 220-240 V	√	√

Selectable options at an additional charge:

Power supply: 8.41 – 9.96 kW / 380 – 415 V, 2nd grinder, choc/topping hopper, twin choc/twin topping, Easy Steam, Auto Steam, Dynamic Milk, Chilled Coffee, FFC, 2-Milk Solution (only Dynamic Milk), Syrup configuration


TECHNICAL DATA OVERVIEW

— 590 mm ———



DYNAMIC MILK 250 cups .96 kW 3.01 - 3.51 kW 8.41 - 9.96 kW 415 V 220 - 240 V 380 - 415 V 144 / 220 cups 112 / 136 cups 144 / 220 cups V 1 160 cups 280 cups ups 2.23 kWh prox. 1000 g, central approx. 700 g Approx. 2000 g 25 / 716 / 590 mm ixed water supply Approx. 37 kg < 70 dB(A)

The WMF 5000 S+ is available with the following milk and steam systems:



* Output is determined using a machine with constant water supply and is dependent on cup size, quality settings, spout, model and nominal power rating. The recommended maximum dially capacity is based on our catalogued service concept. However, these average values serve merely as a guideline. Let our trained WME team match the ideal coffee machine design to your specific needs.

** Height including coffee bean hoppers

•••• The A-rated sound pressure level LpA (slow) and LpA (impulse) at operating personnel work stations is under 79 dB(A) in any operating mode. Above 5° dKH (carbonate hardness), a WMF water filter must be fitted.

Features included in basic model 1 and 2:

1 grinder, SteamJet, Jet Option, hot water outlet, LED illumination, Dynamic Coffee Assist, automatic height-adjustable spout

WMF PROFESSIONAL COFFEE MACHINES

WNF Services

PROVEN EXCELLENCE A ROUND THE GLOBE

At WMF, we are committed to your success and therefore offer service solutions that help our customers all over the world to get the best out of their machine.

Whatever the challenge, we provide the solution As coffee is served in many different environments, our customer base is quite diverse. With almost 100 years of experience, WMF understands the challenges our customers face like nobody else. This wealth of experience is the basis for all our service designs.

000

4 M

Operational Skills

Making sure machine and staff work

CUSTOMER SATISFACTION DAY-TO-DAY OPERATIONS

COMMERCIAL SUCCESS

\$\$\$

Plannable Follow-up Costs

Avoiding surprises and finding the

right level of commercial stability.



Machine Availability Your ability to serve your customers at all times.



Coffee Quality Serving your customer a premium and consistent coffee quality.

Regulatory Compliance Staying compliant with health, safety, security and environmental regulation

Investment Protection Maximising the lifetime of your coffee machine

For a long life of reliable performance

WMF coffee machines are a quality product and, together with our services, will perform over a very long lifetime. Truly understanding our customers' needs, we have developed standard service packages and add-ons that can be perfectly combined to satisfy your individual requirements. The fact that we only get one chance to make a first impression inspired the design of our installation services to deliver the right start to your success. Our preventive maintenance will ensure your machine always achieves its optimum performance, while we are by your side when you need us most with our repair services.



Accessory Equipment

EXTEND AND ENHANCE YOUR WMF COFFEE MACHINE.

Combining elegance and intelligence, each WMF accessory is designed to complement your WMF 5000 S+ perfectly and enhance the experience for operating personnel and coffee consumers alike.

Choose from a range of high-quality WMF accessories to complete your coffee offering. Pre-heating cups to the right temperature is crucial for enjoying coffee specialities of the highest quality, while cooling milk to the optimum temperature for conservation is every bit as important. The addition of syrups, fruit purées or spirits can offer your customers even more choice. Our range of accessories for the WMF 5000 S+ includes attractive Cup Racks and Coolers, combination Cup&Cool units, and a stylish Syrup Station. Naturally, as you would expect from WMF, every item is beautifully coordinated with the design of your coffee machine.



	CENTER COOLER	CUP & COOL WIDE	CUP RACK WIDE	SYRUP STATION
Max. cup capacity	-	45 – 130 cups / mugs	88 – 320 cups / mugs	-
Capacity	10.5 litres milk tank	9.5 litres milk tank	-	1 - 4 bottles
Illumination	-	1	1	-
Lockable	√	1	-	√
Removable seal	√	1	-	√
Shelves	-	2 heatable shelves	4 heatable shelves	-
External dimensions (W / H / D)	261 / 530.5 / 469 mm	368 / 530 / 565 mm	368 / 530 / 539 mm	261 / 530.5 / 469 mm
Power supply	220 - 240 V	220 - 240 V	220 - 240 V	-
Milk empty message	√	1	-	-
Sensors	Empty message, milk temperature	Milk temperature	-	-
Coolant	R600a	R134a	-	-
Milk hose conduction	Possible at the right or left side	Possible at the right or left side	-	_
Empty weight	Approx. 16 kg	Approx. 32 kg	Approx. 28 kg	Approx. 16 kg

ACCESSORY EQUIPMENT







WMF PhotoSimu App

VISUALIZE YOUR WMF COFFEE MACHINE Second IN YOUR BUSINESS. IT WAS SECONDED

Want to know what a WMF professional coffee machine would look like in your own place of business? With the WMF PhotoSimu app, you can use your smartphone or tablet to easily project your chosen product configuration in your own business - exactly as it would appear. Just download the app to get started.

are ready to go. Thanks to Augmented app to send us your request. Reality you will see your preferred machine either in a 3D room or in your real iOS environment, photorealistic and true to its actual dimensions and design. The option to add accessories gives you the chance to see the complete solution of coffee machine and equipment in your business – ingeniously easy and intuitive.

Download the app with the help of the Thanks to our new features, you can QR code, scan then the location where now find full product information at a you want to place your machine and you glance and contact us directly via the





WMF PROFESSIONAL COFFEE MACHINES

WMF PHOTOSIMU APP

WMF PROFESSIONAL COFFEE MACHINES

Contact Details GET IN TOUCH TO FIND OUT MORE

D SEB PROFESSIONAL BeLux BV Halfstraat 5_18

B-2630 Aartselaar | Belgium

SEB PROFESSIONAL Iberia S.A. Avda. Llano Castellano, 15 28034 Madrid I España

E

+32 828 11 28 +34 91 3341216 Belgium@seb-professional.com www.wmf-coffeemachines.com/nl_be www.wmf.com

H

Gyroscoopweg 82-84 1042 AX Amsterdam Showroombezoek op afspraak +31 20 480 80 85 Netherlands@seb-professional.com

G

SEB PROFESSIONAL France SARL 16-18 rue Dubrunfaut 75012 Paris I France

+33 1 49 80 80 10 France@seb-professional.com www.wmf-coffeemachines.fr

J

SEB PROFESSIONAL (Shanghai) Co., Ltd. SEB PROFESSIONAL LATAM & Caribbean SEB PROFESSIONAL North America 1318 North Sichuan Road, ICP, Unit 1101 Guadalupe 10801 | P.O Box 75-2120 | 200080 Shanghai

+86 21 2601 6308 China@seb-professional.com www.wmf-coffeemachines.com

Goicoechea, San Jose | Costa Rica

+506 7016 9885 LATAM@seb-professional.com www.wmf-coffeemachines.com

WMF Austria Langer Weg 28 6020 Innsbruck

B

+43 512 3302 gastro@wmf.at www.wmf-kaffeemaschinen.at WMF in Switzerland Allmendweg 8 4528 Zuchwil

C

+41 32 681 62 00 vertrieb.schweiz@schaerer.com

www.wmf-coffeemachines.com

(A)

WMF GmbH

WMF Platz 1

73312 Geislingen/Steige

+49 7331 258 482

PCM@wmf.com

28

CONTACT DETAILS



Spain@seb-professional.com www.wmf-coffeemachines.es SEB PROFESSIONAL UK Limited 31 Riverside Way UB8 2YF Uxbridge

+44 1895 816100 UK@seb-professional.com www.wmf-coffeemachines.uk.com



SEB PROFESSIONAL Nederland B.V.

www.wmf-coffeemachines.com/nl_nl

SEB PROFESSIONAL Japan 13F Hamarikyu Parkside Place 5-6-10 Tsukiji, Chuoku Tokyo, 104-0045

+81 3 3541 1941 Japan@seb-professional.com www.wmf-japan.co.jp



15501 Red Hill Avenue, Suite 200 Tustin, California 92648 +1 888 496 3435


NorthAmerica@seb-professional.com www.wmf-coffeemachines.us.com

WMF GmbH GBU Professional Coffee Machines PCM WMF Platz 1 73312 Geislingen/Steige Germany Phone: +49 73 31 - 258 482 Fax: +49 73 31 - 258 792 PCM@wmf.com www.wmf.com

63.8385.0391 All technical changes, typographical mistakes and errors reserved for the entire contents.

Germany 07.2021





	١	١	١	١								/ .	/ .	/ /			I	١	١	١	`							, ,	/ /	/	1	I	I	١)	\ \	1								/	/		١	١	١		1				
I		١	١	١	١	1							/ ,	/ /	/ /	1		١	١	١	١									1	/	/	I		1	۱ ۱	1									/	/		١	١	١ '					
1	I		١	١	١		1							/ ,	/ /	1	1	I	١	١	١	` '									1	/	/	I		1	\									/ /	/ /	I	I	١	١	1 \				
/	/	I		١	١	١ '									/ /	1	1	I	I	١	١	۱ ۱										/	/	/	I		١	١									/ /	1	I	I	١	۱ ۱				
1	/	/	I		١	١	1 1								/ /	/	/	/	I		١	۱ ۱	۲ ۱	1									/	/	/			١	١								/ /	/	/	I		۱ ۱	١			
	/	/	/	I		1	۱ ۱	1								/	/	/	/	I		1	۱.	۱ ۱	``										/	/		١	١	١ '	\ \						/ /		/	/	Ì		١	١		
		/	/	/	I	I	۱۱	١	\									/	/	/	I		1	1	\ \	``									/ .	/ /	1	I	١	١	1 \									/	/		١	١		
			1	/	/	l		١	١	١									/	/	/				۱ ۱	1	``								/ .	/ /	' 1	I		1	۱ ۱										/	/		١	1 1	
				/	/	/		١	١	١										/	/	1			1	۱ ۱	1									/ /	/ /	/	l	١	\	١										/ /	I	I	1	,
					/	/	/	I	١	١	١ '	\ [`]									/	/	/			1	1	• `										/	/	I		١	١ '									/ /	/	1	1 1	ľ.
						/ .	/ /	I		١	١	۱ '	1									/ /	/	/				1	1										/	/		١	۱ ۱	1								/ /	/	/		
							/ /	/	I		1	۱ ۱	۱ ۱	``									/ .	/ /	/			\	\											/	/	I	1	1										/		
							/ /	/	/	I	I	1	۱ '	۱ ۱	()									/ /	/ /	/			١	١											/ /	Ι		\											/	
									/	/	I		1	۱ ۱	1										/ /	/ /	/		1	١	١											/	I		١										/ /	
										/	/	I		1	1	1										/ /	/ /	'		١	١												/		١	1	1								/ /	
												/	I		\	\											/ /	' /	1	I	١	١												/	I	1	1 \									
١													/			١												/ /	1	I	۱	١	١												I		\									
١	١												/	/		١															I	I	١													Ι										
I	١													/ /	/		١															I	I	1																						
1																																																								
		I																																																						



DESIGNED TO PERFORM

wmf.com